

Printing:	2023-05-11	Date of compilation: 2021-09-09	Revised: 2024-01-04	Version: 5 (Replaced 4)				
SEC	TION 1: IDENT	IFICATION						
1.1	Product ident	tifier: Multi Pro Silver	Max EP 1 and EP 2					
	Other means	of identification:						
	07-0931-80, 0	7-0932-80						
1.2	Recommend	ed use of the chemical and restri	ctions on use:					
	Relevant uses:	Relevant uses: Lubricant (grease)						
	Uses advised a	gainst: All uses not specified in this s	section or in section 7.3					
1.3	Initial suppli Crevier Lubrica							
	2320 Metropol	e Street, Quebec, QC J4G 1E6						
	Phone / Emergency Phone 800-363-0590 (restricted to Monday to Friday, 8am to 4pm)							
	Website catalys	slubricants.ca						
	Email <u>experts@</u>	<u>@catalyslubricants.ca</u>						
1.4	Emergency p	hone number:						

# SECTION 2: HAZARD IDENTIFICATION

2.1	Classification of the substance or mixture:
	WHMIS 2015:
	The product is not classified as dangerous according to Part 2 of Hazardous Products Regulations (SOR/2015-17)
2.2	Label elements:
	WHMIS 2015:

- None
- 2.3 Health and physical hazards not otherwise classified (HHNOC PHNOC):

Non-applicable

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

# 3.2 Mixtures:

Chemical description: Mixture based on hydrocarbons and additives

#### Components:

In accordance with Schedule I of the Hazardous Products Regulations (SOR/2015-17), the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic , < 3 % IP 346(<20.5 cSt @ 40°C) Asp. Tox. 1: H304 - Danger	60 - <80 %
CAS:	64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic , < 3 % IP 346, < 20.5 cSt @ 40°C Asp. Tox. 1: H304 - Danger	10 - <30 %
CAS:	Trade Secret	Alkyl borate- HMIRA Registry Number 3509327 Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	1 - <5 %*

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

\*CANADA GHS: The exact percentage (concentration) and chemical name has been withheld as a trade secret.

The filing date associated with this HMIRA Claim for exemption is 2023-05-12

# SECTION 4: FIRST-AID MEASURES

## 4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:** 



Printing: 2023-05-11	Date of compilation: 2021-09-09	Revised: 2024-01-04	Version: 5 (Replaced 4)
SECTION 4: FIRST	-AID MEASURES (continued)		
			rer, in case of symptoms of intoxication nedical attention if the symptoms get worse
remove conta	minated clothes and shoes, rinse the skin oap. In case of serious reaction consult a	or shower the person affecte	n case of skin contact it is recommended to d if necessary thoroughly with cold water
unless they a	oroughly with water for at least 15 minute re stuck to the eyes, as this could cause fu possible with the SDS of the product.	, , , , , , , , , , , , , , , , , , ,	contact lenses, these should be removed fter cleaning, a doctor should be consulted

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

# 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

#### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Suitable (and unsuitable) extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

#### 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### 6.3 Methods and materials for containment and cleaning up:

#### It is recommended:



6.4

# Multi Pro SilverMax

Printing: 2023-05-11 Date of compilation: 2021-09-09 Revised: 2024-01-04 Version: 5 (Replaced 4)

# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific enduse(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

BRITISH COLUMBIA >> Particles (Insoluble or Poorly Soluble) Not Otherwise Classified (PNOC): TWA = 10 mg/m3

### 8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### **B.-** Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using chemical protection gloves

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



TION	8: EXPOSURE	CONTRO	OLS/PERSONAL PROTEC	TION (co	ontinued)		
_	Pictogram		PPE			R	emarks
	Mandatory face protection	Panorami	c glasses against splash/projectic	ns. Clean da			ccording to the manufacturer´s instructs a risk of splashing.
E	Bodily protection						
	Pictogram		PPE			R	emarks
			Work clothing		Replace bef	ore any	evidence of deterioration.
			Anti-slip work shoes		Replace bef	ore any	evidence of deterioration.
F	Additional emerge	l ency mea	sures				
	Emergency mea	asure	Standards		Emergency measu	ire	Standards
	Emergency sho	ower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-	4:2011	Eyewash stations	5	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20
In a spil <b>Vo</b> l	llage of both the p latile organic con Volatile organic co	ne commu product ai <b>mpound</b> ompound	unity legislation for the prote nd its container. For additio <b>(VOC) according to Ca</b> s: 0 % weight	nal informa	tion see subsection	n 7.1.C	
In a spil <b>Vo</b> l	accordance with th llage of both the p <b>latile organic co</b> Volatile organic co V.O.C. density at	ne commu product au mpounds ompound 20 °C:	unity legislation for the prote nd its container. For additio (VOC) according to Ca s: 0 % weight 0 kg/m <sup>3</sup> (0g/L)	nal informa	tion see subsection	n 7.1.C	)
In a spil <b>Vo</b> l	accordance with th llage of both the p <b>latile organic co</b> Volatile organic co V.O.C. density at	ne commu product au mpounds ompound 20 °C:	unity legislation for the prote nd its container. For additio <b>(VOC) according to Ca</b> s: 0 % weight	nal informa	tion see subsection	n 7.1.C	)
In a spil Vol	accordance with the lage of both the p latile organic con Volatile organic con V.O.C. density at 9: PHYSICAL A formation on bas complete information	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic	unity legislation for the prote nd its container. For additio (VOC) according to Ca s: 0 % weight 0 kg/m <sup>3</sup> (0g/L)	nal informa nadian En	tion see subsection	n 7.1.C	)
In a spil Vol TION Inf For App	accordance with the lage of both the p latile organic con Volatile organic co V.O.C. density at 9: PHYSICAL A formation on bas complete informa pearance:	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic ation see	unity legislation for the prote nd its container. For additio s (VOC) according to Ca s: 0 % weight 0 kg/m <sup>3</sup> (0g/L) MICAL PROPERTIES cal and chemical propert the product datasheet.	nal informa nadian En	tion see subsection	n 7.1.C	)
In a spil Vol TION Inf For Apj Phy	accordance with the lage of both the p latile organic con Volatile organic con V.O.C. density at 9: PHYSICAL A formation on bas complete information	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic ation see	unity legislation for the protected its container. For additions (VOC) according to Case: 0 % weight 0 kg/m <sup>3</sup> (0 g/L) MICAL PROPERTIES and chemical properties the product datasheet.	nal informa nadian En	tion see subsectio vironmental Prot	n 7.1.C	)
In a spil Vol Inf For Apj Phy	accordance with the lage of both the p latile organic cor Volatile organic cor V.O.C. density at 9: PHYSICAL A formation on bas complete informa pearance: vsical state at 20 °C	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic ation see	unity legislation for the protected its container. For additions (VOC) according to Castric State of the second of	nal informa nadian En ies: olid	tion see subsectio vironmental Prot	n 7.1.C	)
In a spil Vol Inf For App App	accordance with the llage of both the p latile organic con Volatile organic con V.O.C. density at 9: PHYSICAL A formation on bas complete informa pearance: vsical state at 20 °C pearance: or:	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic ation see	unity legislation for the prote nd its container. For additio s (VOC) according to Ca s: 0 % weight 0 kg/m <sup>3</sup> (0g/L) MICAL PROPERTIES cal and chemical proper the product datasheet. S	nal informa nadian En ies: olid ot available	tion see subsection vironmental Prot	n 7.1.C	)
In a spil Vol FION Inf For App Phy Cold Odd	accordance with the llage of both the p latile organic con Volatile organic con V.O.C. density at 9: PHYSICAL A formation on bas complete informa pearance: vsical state at 20 °C pearance: or:	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic ation see	unity legislation for the protected its container. For additions (VOC) according to Cases: 0 % weight 0 kg/m <sup>3</sup> (0 g/L) MICAL PROPERTIES and chemical properties the product datasheet.	nal informa nadian En ies: olid ot available rey	tion see subsection vironmental Prot	n 7.1.C	)
In a spil Vol FION Inf For App Cold Odd	accordance with the lage of both the p latile organic cor Volatile organic cor V.O.C. density at 9: PHYSICAL A formation on bas complete informat pearance: vsical state at 20 °C pearance: or: por:	ne commu product al mpounds ompounds 20 °C: ND CHE sic physic ation see	unity legislation for the protected its container. For additions (VOC) according to Cases: 0 % weight 0 kg/m <sup>3</sup> (0 g/L) MICAL PROPERTIES and chemical properties the product datasheet.	nal informa nadian En ies: olid ot available rey ot available	tion see subsection vironmental Prot	n 7.1.C	)
In a spill Vol	accordance with the platile of both the platile organic convolution of both the platile organic convolution of the platile organic conversion of the platile organic conversion of the platile organic conversion of the platility: P: PHYSICAL A formation on base complete information on base complete information on base complete information on base complete information on the platility of the platility: P: PHYSICAL A formation on base complete information on base complete information on base complete information on base complete information on the platility of th	ne commit product al mpounds ompounds 20 °C: ND CHE sic physic ation see C:	unity legislation for the protected its container. For additions (VOC) according to Carding to Carding to Carding to Carding to Carding (0 g/L) Or kg/m <sup>3</sup> (0 g/L) Or	nal informa nadian En nadian En ies: olid ot available ot available on-applicat on-applicat	tion see subsection vironmental Prof	n 7.1.C	)
In a spill Vol	accordance with the platile of both the platile organic conversion of the platility: P: PHYSICAL A formation on base complete information on base complete information on base complete information on base complete and the platility of the plati	ND CHE Sic physic C: Spheric pr 0 °C:	essure: N	nal informa nadian En nadian En ies: olid ot available ot available on applicat on-applicat on-applicat	tion see subsection vironmental Prot e e e e e e e e e e e e e e e e e e e	n 7.1.C	)
In a spil Vol Inf For App Odc Odc Vol Boil Vap Vap	accordance with the platile of both the platile organic convolution of both the platile organic convolution of the platile organic conversion of the platile organic conversion of the platile organic conversion of the platility of the platile of the platility of	ne commit product al mpound: 20 °C: ND CHE sic physic ation see C: C: spheric pr 0 °C: 0 °C:	unity legislation for the protected its container. For additions (VOC) according to Cases: 0 % weight 0 kg/m³ (0g/L) MICAL PROPERTIES Cal and chemical properties the product datasheet. S M Cases N N N N N N N N N	nal informa nadian En nadian En ies: olid ot available ot available on-applicat on-applicat on-applicat	tion see subsection vironmental Prot e e ole * ole * ole * ole *	n 7.1.C	)
In a spill Vol	accordance with the platile of both the platile organic convolution of both the platile organic convolution of the platile organic convolution or the platile organic convolution org	And CHE And	unity legislation for the protected its container. For additions (VOC) according to Cases: 0 % weight 0 kg/m³ (0g/L) MICAL PROPERTIES Cal and chemical properties the product datasheet. S M Cases N N N N N N N N N	nal informa nadian En nadian En ies: olid ot available ot available on applicat on-applicat on-applicat	tion see subsection vironmental Prot e e ole * ole * ole * ole *	n 7.1.C	)
In a spil Vol Inf For App Odd Odd Odd Vol Boil Vap Vap Eva Pro	Accordance with the platile of both the platile organic conversion of the platility of the	And CHE And	unity legislation for the protected its container. For additions (VOC) according to Cases: 0 % weight 0 kg/m³ (0g/L)       MICAL PROPERTIES       Cal and chemical properties       <	nal informa nadian En nadian En ies: olid ot available ot available on-applicat on-applicat on-applicat on-applicat	tion see subsection vironmental Prot e e e e e e e e e e e e e e e e e e e	n 7.1.C	)
In a spil Vol Inf For App Phy App Colu Odc Odc Vol Boil Vap Eva Pro Der	accordance with the platile of both the platile organic convolution of both the platile organic convolution of the platile organic convolution or the platile organic convolution org	ne commit product al mpound: 20 °C: ND CHE sic physic ation see C: C: spheric pr 0 °C: 0 °C: 0 °C: 0 °C: n:	unity legislation for the protected its container. For additions (VOC) according to Cases: 0 % weight 0 kg/m³ (0 g/L) MICAL PROPERTIES cal and chemical	nal informa nadian En nadian En ies: olid ot available ot available on-applicat on-applicat on-applicat	tion see subsection vironmental Prot e e e e e e e e e e e e e e e e e e e	n 7.1.C	)



Printing	: 2023-05-11	Date of compilation: 2021-09-09	Revised: 2024-01-04	Version: 5 (Replaced 4)
SECT	FION 9: PHYSIC	AL AND CHEMICAL PROPERTIES	(continued)	
	Kinematic viscos	sity at 20 °C:	Non-applicable *	
	Kinematic viscos	sity at 40 °C:	Non-applicable *	
	Concentration:		Non-applicable *	
	pH:		Non-applicable *	
	Vapour density	at 20 °C:	Non-applicable *	
	Partition coeffici	ent n-octanol/water 20 °C:	Non-applicable *	
	Solubility in wat	er at 20 °C:	Non-applicable *	
	Solubility proper	ties:	Non-applicable *	
	Decomposition to	emperature:	Non-applicable *	
	Melting point/fre	eezing point:	Non-applicable *	
	Flammability:			
	Flash Point:		Non-applicable	
	Flammability (so	olid, gas):	Non-applicable *	
	Autoignition tem	perature:	Non-applicable *	
	Lower flammabi	lity limit:	Non-applicable *	
	Upper flammabi	lity limit:	Non-applicable *	
	Explosive (Soli	d):		
	Lower explosive	limit:	Non-applicable *	
	Upper explosive	limit:	Non-applicable *	
	Particle charac	teristics:		
	Median equivale	nt diameter:	Non-applicable *	
9.2	Other informat	tion:		
	Information w	vith regard to physical hazard cla	asses:	
	Explosive proper	ties:	Non-applicable *	
	Oxidising proper	ties:	Non-applicable *	
	Corrosive to met	tals:	Non-applicable *	
	Heat of combust	tion:	Non-applicable *	
	components:	ercentage (by mass) of flammable	Non-applicable *	
	Other safety ch			
	Surface tension		Non-applicable *	
	Refraction index:	:	Non-applicable *	

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

- CONTINUED ON NEXT PAGE -



Printing: 2023-05-11 Date of compilation: 2021-09-09 Revised: 2024-01-04 Version: 5 (Replaced 4) SECTION 10: STABILITY AND REACTIVITY (continued) 10.5 Incompatible materials: Acids Wate Oxidising materials Combustible material Others Avoid strong acids Not applicable Not applicable Not applicable Avoid alkalis or strong bases 10.6 Hazardous decomposition products: See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds. SECTION 11: TOXICOLOGICAL INFORMATION 11.1 Information on toxicological effects: The experimental information related to the toxicological properties of the product itself is not available Dangerous health implications: In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Ingestion (acute effect): Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3 Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. B- Inhalation (acute effect): - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. C- Contact with the skin and the eyes (acute effect): - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3. Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: Distillates (petroleum), hydrotreated heavy naphthenic, < 3 % IP 346(<20.5 cSt @ 40°C) (3); Distillates (petroleum), hydrotreated heavy paraffinic, < 3 % IP 346, < 20.5 cSt @ 40°C (3); Fuels, diesel, No 2 (3); Distillates (petroleum), solvent-refined heavy paraffinic, < 3 % IP 346 (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. E- Sensitizing effects: Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure: Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:



Printing: 2023-05-11	Date of compilation: 2021-09-09	Revised: 2024-01-04	Version: 5 (Replaced 4)	

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

# Other information:

Non-applicable

#### Specific toxicology information on the substances:

Not available

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

- 12.1 Ecotoxicity (aquatic and terrestrial, where available):
- Not available
- 12.2 Persistence and degradability: Not available
- **12.3 Bioaccumulative potential:** Not available
- **12.4 Mobility in soil:** Not available
- 12.5 Results of PBT and vPvB assessment: Non-applicable
- 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Disposal methods:

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

#### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

# SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations specific for the product in question:

Domestic Substances List (DSL): Distillates (petroleum), hydrotreated heavy naphthenic, < 3 % IP 346(<20.5 cSt @ 40°C) (64742-52-5); Distillates (petroleum), hydrotreated heavy paraffinic, < 3% IP 346, < 20.5 cSt @ 40°C (64742-54-7)</li>
Non-Domestic Substances List (NDSL): Non-applicable

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.



Printing: 2023-05-11 Date of compilation: 2021-09-09 Revised: 2024-01-04 Version: 5 (Replaced 4) SECTION 15: REGULATORY INFORMATION (continued) Other legislation: Canadian Environmental Protection Act, 1999 SECTION 16: OTHER INFORMATION Legislation related to safety data sheets: This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17) Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section3 WHMIS 2015: Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Advice related to training: Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://whmis.org/ Abbreviations and acronyms: IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer Date of compilation: 2021-09-09 Revised: 2023-05-08

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.