

# SAFETY DATA SHEET

### 1. Identification

Product identifier PolarZone™ Universal Antifreeze/Coolant Concentrate

Other means of identification NM0677-PREOCT2018

Recommended use Gasoline and light-duty truck engine antifreeze/coolant

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Nemco Resources Ltd
25 Midland Street
Winnipeg, MB R3E 3J6

Canada

TelephonePhone:204-788-1030

Fax: 204-788-1593

Toll Free: 855-755-6737 (M-F 8am-4:30pm)

Website www.nemco.ca/msds-safety-information

E-mail info@nemco.ca

Emergency phone number NEMCO: 204-788-1030 (M-F 8am - 4:30pm)

**Supplier** See above.

### 2. Hazard identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Sensitization, skin Category 1
Reproductive toxicity Category 1B
Specific target organ toxicity following Category 2

repeated exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. May cause an allergic skin reaction. May damage fertility or the unborn

child. May cause damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing mist, vapors or spray. Contaminated work clothing should not be allowed out of the workplace. Week protective gloves, protective clothing, ever protection and face.

out of the workplace. Wear protective gloves, protective clothing, eye protection and face

protection.

Response IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it

before reuse.

IF exposed or concerned: Get medical attention.

Storage Store locked up.

**Disposal** Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

#33182 Page: 1 of 8 Issue date 30-March-2021

Chemical name	Common name and synonyms	CAS number	%
Ethylene glycol		107-21-1	80-100*
Sodium 2-mercaptobenzothiazole		2492-26-4	0.1-1*
Sodium tetraborate		1330-43-4	0.1-1*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### **Composition comments**

\*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.

#### 4. First-aid measures

Inhalation Skin contact If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it

before reuse.

Eye contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

Most important symptoms/effects, acute and delayed

Dizziness. Nausea, vomiting. Abdominal pain. May cause an allergic skin reaction. Dermatitis.

Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** 

IF exposed or concerned: Get medical attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

Alcohol resistant foam. Powder. Carbon dioxide.

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

**Hazardous combustion** 

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

products Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapours or divert vapour cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

#33182 Page: 2 of 8 Issue date 30-March-2021

## 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

# 8. Exposure controls/Personal protection

US. ACGIH Threshold Limit Value		Value	Form
Components  The dama where I (OAC)	Туре		
Ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
Sodium tetraborate (CAS 1330-43-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupation	onal Health & Safety Code, Sch	nedule 1, Table 2)	
Components	Туре	Value	
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	
Sodium tetraborate (CAS 1330-43-4)	STEL	3 ppm	
	TWA	1 mg/m3	
Canada. British Columbia OELs.		s for Chemical Substances, O	ccupational Health and
Safety Regulation 296/97, as ame Components		Value	Form
Ethylene glycol (CAS 107-21-1)	<b>Type</b> Ceiling	100 mg/m3	Aerosol
107-21-1)		50 ppm	Vapour.
	STEL	20 mg/m3	Particulate.
	TWA	10 mg/m3	Particulate.
Sodium tetraborate (CAS 1330-43-4)	STEL	6 mg/m3	Inhalable
	TWA	2 mg/m3	Inhalable
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
Sodium tetraborate (CAS 1330-43-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Canada. Ontario OELs. (Control o	of Exposure to Biological or Cl	- ·	
Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
Sodium tetraborate (CAS	STEL	6 mg/m3	Inhalable fraction.
Sodium tetraborate (CAS 1330-43-4)			

Components	nistry of Labor - Regulation respecting Type	Value	Form		
Ethylene glycol (CAS 107-21-1)	Ceiling	127 mg/m3	Vapor and mist.		
101-21-1)		50 ppm	Vapor and mist.		
Sodium tetraborate (CAS 1330-43-4)	TWA	1 mg/m3			
Canada. Saskatchewan OEI Components	Ls (Occupational Health and Safety Reզ Туре	gulations, 1996, Table 21) Value	Form		
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol		
Sodium tetraborate (CAS 1330-43-4)	15 minute	6 mg/m3	Inhalable fraction.		
	8 hour	2 mg/m3	Inhalable fraction.		
iological limit values	No biological exposure limits noted for t	the ingredient(s).			
oppropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. It exposure limits have not been established, maintain airborne levels to an acceptable level.				
-	, such as personal protective equipmen	nt			
Eye/face protection	Wear safety glasses with side shields.				
Skin protection					
Hand protection	Impervious gloves. Confirm with reputa	• •			
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. As required by employer code.				
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).				
Thermal hazards	Not applicable.				
General hygiene onsiderations	Keep away from food and drink. Always washing after handling the material and work clothing and protective equipment should not be allowed out of the workplant.	before eating, drinking, and/ to remove contaminants. Co	or smoking. Routinely wasł ntaminated work clothing		
	9. Physical and chemica	al properties			
ppearance	Clear				
hysical state	Liquid.				
orm	Liquid.				
Colour	Green				
dour	Mild				
dour threshold	Not available.				
Н	10 - 11				
lelting point/freezing point					
	Not available.				
nitial boiling point and boiling	Not available. 157 - 168 °C (314.6 - 334.4 °F)				
nitial boiling point and boiling					
nitial boiling point and boiling ange	157 - 168 °C (314.6 - 334.4 °F)				
nitial boiling point and boiling ange lash point	157 - 168 °C (314.6 - 334.4 °F)  None to boiling				
nitial boiling point and boiling ange lash point vaporation rate lammability (solid, gas)	157 - 168 °C (314.6 - 334.4 °F)  None to boiling  Not available.  Not applicable.				
nitial boiling point and boiling ange lash point vaporation rate	157 - 168 °C (314.6 - 334.4 °F)  None to boiling  Not available.  Not applicable.				
nitial boiling point and boiling ange lash point evaporation rate lammability (solid, gas) lpper/lower flammability or exp Flammability limit - lower	157 - 168 °C (314.6 - 334.4 °F)  None to boiling  Not available.  Not applicable.  blosive limits				
nitial boiling point and boiling ange lash point vaporation rate lammability (solid, gas) pper/lower flammability or exp Flammability limit - lower (%) Flammability limit - upper	157 - 168 °C (314.6 - 334.4 °F)  None to boiling  Not available.  Not applicable.  blosive limits  Not available.				
nitial boiling point and boiling ange lash point Evaporation rate lammability (solid, gas) Ipper/lower flammability or exp Flammability limit - lower (%) Flammability limit - upper (%)	157 - 168 °C (314.6 - 334.4 °F)  None to boiling Not available. Not applicable.  blosive limits Not available.  Not available.				
nitial boiling point and boiling ange lash point evaporation rate lammability (solid, gas) lpper/lower flammability or exp Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower ( %) Explosive limit - upper	157 - 168 °C (314.6 - 334.4 °F)  None to boiling Not available. Not applicable.  blosive limits Not available.  Not available.  Not available.				

Relative density 1.124

Solubility(ies)

Solubility (water) Soluble

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity8.3 cSt @ 40°C

Other information

**Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.
Strong oxidising agents.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

**Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

Dizziness. Nausea, vomiting. Abdominal pain. May cause an allergic skin reaction. Dermatitis.

Rash.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

Ethylene glycol (CAS 107-21-1)

**Acute**Dermal

LD50 Mouse > 3500 mg/kg, ECHA

Inhalation

LC50 Rat > 2.5 mg/L, 6 Hours, ECHA

Oral

LD50 Cat 1670 mg/kg, CCID - New Zealand

Human 1110 - 1665 mg/kg, HSDB

Rat 7712 mg/kg, ECHA

Sodium 2-mercaptobenzothiazole (CAS 2492-26-4)

Acute

Dermal

LD50 Rabbit 7940 mg/kg, ECHA

Inhalation

LC50 Not available

Oral

LD50 Rat 2100 mg/kg, ECHA

Components Species Test Results

Sodium tetraborate (CAS 1330-43-4)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 2 mg/L, 4 Hours, ECHA/HSDB

Oral

LD50 Rat 3305 mg/kg, ECHA

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Ethylene glycol (CAS 107-21-1) Irritant Sodium tetraborate (CAS 1330-43-4) Irritant

**Respiratory sensitisation** Not a respiratory sensitizer.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classified.

**Reproductive toxicity** May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** May cause damage to organs through prolonged or repeated exposure.

Prolonged or repeated exposure can cause kidney damage.

Further information Not available.

12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

See below

**Ecotoxicological data** 

Components Species Test Results

Ethylene glycol (CAS 107-21-1)

Crustacea EC50 Daphnia 46300 mg/L, 48 Hours

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/L, 96 hours

Sodium 2-mercaptobenzothiazole (CAS 2492-26-4)

Crustacea EC50 Daphnia 3.5 mg/L, 48 Hours

Sodium tetraborate (CAS 1330-43-4)

**Aquatic** 

Fish LC50 Western mosquitofish (Gambusia affinis) 104 mg/L, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** 

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

General Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections

2.1-2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical

name and the classification of the product will appear below.

**Transportation of Dangerous Goods (TDG - Canada)** 

Not regulated as dangerous goods.

# 15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada Priority Substances List (Second List): Listed substance

Ethylene glycol (CAS 107-21-1) Listed

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS status Hazardous

International regulations

**Inventory status** 

Country(s) or region Inventory name On inventory (yes/no)\*

Canada Domestic Substances List (DSL)
Canada Non-Domestic Substances List (NDSL)

Yes No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other information



HEALTH \* 1

FLAMMABILITY 0

PHYSICAL HAZARD 0

PERSONAL X

PROTECTION X

1 0

Issue date30-March-2021Revision date30-March-2021

Version No. 01

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

#### Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by

Nemco Resources Ltd Phone: 1-855-755-6737