Safety Data Sheet



Section 1. Identification

Product identifier : DIESEL EXHAUST FLUID (DEF)
Product type : DEF Ultrapure Urea Sol 32.5% Liquid

Product code : 54-8000

<u>Uses</u>

Area of application : Industrial applications

Supplier

Supplier's details : Catalys Lubricants Inc

<u>Address</u>

Street : 2320 De La Metropole

Postal code : J4G 1E6

City : Longueuil, P. Qc

Country : Canada

Telephone number : +1 514 679 8866 **Fax no.** : +1 514 679 5818

e-mail address of person : rmaillette@catalyslubrifiants.ca

responsible for this SDS

Emergency telephone number :

(with hours of operation)

24-hours Emergency Response: 1-800-363-0590

Canada: 24 Hour Emergency Service, Canutec 613-996-6666

Section 2. Hazards identification

Classification of the : Not classified.

substance or mixture.

GHS label elements

Signal word : No signal word.

Hazard statements : Not applicable.

Precautionary statements

General : Not applicable.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Remark : Aqueous urea solution with a content of 32,5% w/w urea

(CAS# 57-13-6).

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Rinse with plenty of running water. Check for and remove any

contact lenses. Get medical attention if irritation occurs.

Inhalation : Avoid inhalation of vapor, spray or mist. If inhaled, remove to

fresh air. Get medical attention if you feel unwell.

Skin contact: Wash with soap and water. Get medical attention if irritation

develops.

Ingestion : Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Get medical attention if adverse health effects

persist or are severe.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact : No known significant effects or critical hazards. **Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing

Unsultable extinguishing

media

Use an extinguishing agent suitable for the surrounding fire.

None identified.

Specific hazards arising from

the chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the

container may burst.

Decomposition products may include the following materials: nitrogen oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken

involving any personal risk or without suitable training.

Special protective equipment

for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

Remark

Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area.

Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposa

١.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits : None.

Appropriate engineering controls

Environmental exposure

controls

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to

acceptable levels.

Individual protection measures

Hygiene measures : A washing facility or water for eye and skin cleaning purposes

should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash

contaminated clothing before reusing.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to

avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Body protection

Other skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be

emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the

exact composition of the glove material.

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

 Appropriate footwear and any additional skin protection measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection: In case of inadequate ventilation wear respiratory protection.



Section 9. Physical and chemical properties

Appearance

Physical state Liquid Color Colorless.,

Odor slight, ammoniacal Odor threshold Not determined.

9 - 10 Hq

Melting/freezing point : -10.5 °C

Boiling/condensation point 100 °C

(212 °F)

Sublimation temperature Not determined. Flash point Not applicable

Evaporation rate Not determined. Flammability (solid, gas) Non-flammable.

Lower and upper explosive

(flammable) limits

Vapor pressure Not determined. **Density** 1.088 g/cm3 Relative density Not determined. Solubility Not determined. Solubility in water > 100 g/l

Partition coefficient: n-

octanol/water

Auto-ignition temperature Not determined.

Decomposition temperature

Viscosity

Not determined.

Not determined.

Dynamic: 1.4 mPa.s @ 20 °C (68 °F)

Kinematic: Not determined.

Lower: Not determined.

Upper: Not determined.

Explosive properties Non-explosive.

Oxidizing properties None

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : Urea reacts with calcium hypochlorite or sodium hypochlorite

to form the explosive nitrogen trichloride.

Remark: Reactive or incompatible with the following materials:

Oxidizing agents

acids alkalis

Nitrites and nitrates

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Sensitization

Conclusion/Summary

Skin : No known significant effects or critical hazards. Respiratory : No known significant effects or critical hazards.

<u>Mutagenicity</u>

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary: No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely

routes of exposure:

Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data. Inhalation : No specific data. Skin contact : No specific data. Ingestion : No specific data.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary No known significant effects or critical hazards.

Bioaccumulative potential

Conclusion/Summary No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC)

Not available.

Mobility

This product may move with surface or groundwater flows

because its water solubility is: high

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers.

Section 14. Transport information

Regulation: UN Class			
14.1 UN number	Not regulated.		
14.2 UN proper shipping name	Not applicable.		
14.3 Transport hazard class(es)	Not applicable.		
14.4 Packing group	Not applicable.		
14.5 Environmental hazards	No.		
Additional information Environmental hazards	: No.		

Regulation: TDG Class		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	

14.5 Environmental hazards	No.
Additional information Not applicable.	
Environmental hazards	: No.

Section 15. Regulatory information

REGULATORY LISTS SEARCHED:

01-1=IARC Group 1 01-2A=IARC Group 2A 01-2B=IARC Group 2B 35=WHMIS IDL

No components of this material were found on the regulatory lists above.

CHEMICAL INVENTORIES:

All components comply with the following chemical inventory requirements: DSL (Canada), TSCA (United States).

WHMIS CLASSIFICATION:

This product is not considered a controlled product according to the criteria of the Canadian Controlled Products Regulations.

Section 16. Other information

MSDS PREPARATION:

Prepared by Robert Maillette, Chemist Date: October 12, 2023

REVISION STATEMENT: This is a new SDS

ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:

TLV - Threshold Limit Value	TWA - Time Weighted Average		
STEL - Short-term Exposure Limit	PEL - Permissible Exposure Limit		
CAS - Chemical Abstract Service Number	NFPA - National Fire Protection Association (USA)		
ACGIH - American Conference of Government Industrial Hygienists	IMO/IMDG - International Maritime Dangerous Goods Code		
API - American Petroleum Institute	MSDS - Material Safety Data Sheet		
DOT - Department of Transportation (USA)	NTP - National Toxicology Program (USA)		
IARC - International Agency for Research on Cancer	OSHA - Occupational Safety and Health Administration		

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.